

TO: Joint Steering Committee for Revision of AACR
FROM: Alan Danskin, BL Representative
SUBJECT: Revision to: Categorization of content and carrier

The British Library thanks John Attig for this valuable initiative. Our response is in three parts:

- 1) Response to the specific issues raised in 6JSC/ALA/Rep/1
- 2) Comments on the Revised Draft
- 3) Annotations to the revised Draft

1 Response to the specific issues raised in 6JSC/ALA/Rep/1

- 1) **Recommendation:** The categorization document should be updated along the lines proposed in the following document. The details of the revisions are subject to constituency review.

The British Library agrees with this recommendation.

- 2) **Recommendation:** The mapping of the RDA vocabularies to the *RDA/ONIX Framework* should be communicated to those working on the RDA Vocabulary registry, with the request that the mapping be incorporated into the registry.

The British Library agrees with this recommendation.

- 3) **Recommendation:** Remove the RDA text and the Glossary from the Categorization document; revise the initial paragraphs as appropriate.

The British Library agrees with this recommendation.

4) Projector

Question: Does the JSC agree that “projector” is sufficiently broad?

The British Library notes that the RDA/ONIX definition,

“An optical device consisting of a light source, lens system, and image holder for projecting an image on a screen or other surface. “

seems broad enough to encompass light tables or other devices of that type, but this could be made explicit in the scope. TheBL also notes that inclusion of “image holder” in the definition may exclude types of projectors used to project computer displays. The OED definition refers only to a light source and lens system. The definition could be changed as follows:

““An optical device containing a light source and lens system, for projecting an image on a screen or other surface. “

5) Volume

Question: Does the JSC agree that the mapping of “volume” to the RDA/ONIX Housing Format value “not applicable” should be removed?

In RDA, “Volume” is defined in as, “One or more sheets bound or fastened together to form a single unit”

In RDA/ONIX, “binding” is defined as, “An outer cover affixed to a gathering of one or more *sheets*”

Therefore a binding is applicable to some, but not all volumes, meaning that both “binding” and “not applicable” are appropriate. As the category label should not map to more than one primary value of Storage Medium Format there must be a problem with the label or with the definition of “binding” This needs to be discussed further..

Question Is the mapping otherwise adequate?

Yes.

6) Object

Question: Does the JSC agree that a value for “none of the above” should be proposed for addition to the values for the Storage Medium Format attribute?

No. I think this needs more discussion by the RDA/ONIX group. The definition of Storage Medium Format would certainly include naturally occurring objects and artifacts, as defined by RDA Object. It does not appear to be desirable to categorise these either by exception, “none of the above”, or generalisation, “other”. Consideration could be given to which values could be added to more usefully describe objects, for example “polygon”, “block”, “flake”.

Recommendation: The revised mapping specifications, along with the extensions to the *Framework* that they incorporate, should be communicated to the JSC’s partners in the RDA/ONIX initiative, with recommendations for continued work on implementation, refinement, and extension of the framework.

BL agrees. This highlights the need to put in place the mechanism to maintain the framework.

2 Comments on the Revised Draft

2.1 Form/Genre

BL agrees with the use of the term Computer to make it clear that this is content which requires processing. This maps directly to the intermediation type. Use of Digital might be considered, but this may be ambiguous in the context of audio and video content.

Further discussion on whether the terms proposed are sufficient to cover the range of forms and genres would be useful.

2.2 Relationship between Carrier type and Extent

“The proposed RDA element for Carrier type is designed to function independently of the element for Extent.” The elements are no longer “proposed”.

Suggest that this sentence is reworded. The Carrier type is no longer “proposed”. It is probably truer to say that the Extent is devolved rather than wholly independent of the Carrier type

“The RDA instructions enable the separation of controlled terms recorded in the Carrier Type element and the display of natural language terms in the element for Extent.”

3 Annotations to the revised Draft

Annotations are indicated by track changes or comments in blue.

4

Formatted: Normal

Formatted: Normal

August 4, 2006

To: Joint Steering Committee for Revision of AACR
From: ~~Tom Delsey, RDA Editor~~ John Attig, ALA Representative to the JSC
Subject: Categorization of content and carrier

Related documents:

~~5JSC/Chair/6/Chair follow-up
5JSC/Chair/6/Chair follow-up/ACOC response
5JSC/Chair/6/Chair follow-up/ALA response
5JSC/Chair/6/Chair follow-up/BL response
5JSC/Chair/6/Chair follow-up/CCC response
5JSC/Chair/6/Chair follow-up/CLIP response
5JSC/Chair/6/Chair follow-up/LC response
5JSC/Chair/10 (RDA/ONIX Framework for Resource Categorization (version 1.0))
5JSC/RDA/Part A/Categorization (Categorization of content and carrier)~~

Formatted: Font: Times New Roman, 12 pt, Font color: Auto

Categorization of content and carrier in RDA is provided by three elements: Media type (RDA 3.2), Carrier type (RDA 3.3), Content type (RDA 6.9).

Formatted: Font: Verdana, 10 pt

Formatted: Indent: Left: 0 cm

The definition of these elements and their values was based on the work of the GMD/SMD Working Group (5JSC/Chair/6/Chair follow-up) and on the RDA/ONIX Framework for Resource Categorization, version 1.0 (5JSC/Chair/10). This revised document has been updated to take into account decisions made by the JSC since August 2006, including the renaming of the three RDA categorization elements and the definition of additional categories.

Formatted: Font: Verdana, 10 pt

This document discusses the objectives of the resource categorization elements, the alignment with the RDA/ONIX Framework, and related issues. A set of tables provides a detailed mapping of the RDA values to the RDA/ONIX BaseCarrierCategories and BaseContentCategories.

~~Attached are Editor's drafts of RDA sections 3.2 (Media category), 3.3 (Type of carrier), and 4.2 (Content category). Draft definitions for all the terms used to designate categories in sections 3.2, 3.3, and 4.2 are included in a partial glossary at the end of the proposal.~~

~~The drafts are based in large part on proposals made by the GMD/SMD Working Group (5JSC/Chair/6/Chair follow-up), but a number of the categories and terms proposed by the Working Group have been modified to bring them into line with the RDA/ONIX Framework for Resource Categorization. Constituency responses to the Working Group's proposals have also been taken into account.~~

Objectives

The primary function of the RDA elements for Content ~~category type~~, Media ~~category type~~, and ~~Type of eCarrier type~~ is to assist the user in selecting resources that are appropriate to their needs with respect to type of content and type of carrier.

The categories proposed for inclusion under the three elements have been designed to meet the following objectives:

- *Comprehensiveness.* The categories defined for each element should cover as fully as possible

the range of categories that may be applicable to the resource described.

- *Clarity.* The scope of each category should be stated in clear and unambiguous terms.
- *Extensibility.* The categorization framework should be amenable to future extension to accommodate newly emerging types of content, media, and formats.
- *Compatibility.* The categories defined for each element should be compatible, as far as possible, with those defined by other resource description communities.
- *Adaptability.* The display of category labels should be adaptable to the needs and preferences of specific user communities.

Alignment with the RDA/ONIX Framework for Resource Categorization

The RDA elements for Content [category type](#), Media [category type](#), and [Type-of-eCarrier type](#) have been designed to conform to the *RDA/ONIX Framework for Resource Categorization (version 1.0)*.

The categories defined for Content [category type](#) represent a concatenation of four attributes of resource content defined in the Framework:

- *Character* (i.e., the fundamental form of communication in which the content of the resource is expressed)
- *Sensory Mode* (i.e., the human sense through which the content of a resource is intended to be perceived)
- *Image Dimensionality* (i.e., the number of spatial dimensions in which the image content of a resource is intended to be perceived)
- *Image Movement* (i.e., the perceived presence or absence of movement in the image content of a resource).

The categories defined for Media [category type](#) reflect the attribute of resource carrier defined in the Framework as *Intermediation Tool* (i.e., the type of device intended to be used to enable the content of the resource to be perceived).

The categories for [Type-of-eCarrier type](#) represent a concatenation of Intermediation Tool with two additional attributes of carrier defined in the Framework:

- *Storage Medium Format* (i.e., the physical form of the material on which the content of the resource is stored)
- *Housing Format* (i.e., the physical format of the encasing for the storage medium).

The accompanying tables provide mappings of the proposed RDA categories to the corresponding attribute values specified in the RDA/ONIX Framework for the construction of Base Content Categories and Base Carrier Categories. The mappings serve as a means of providing a formal RDA/ONIX definition or ontology for each of the proposed RDA categories. Those formal definitions, in turn, will serve as the basis for developing crosswalks between RDA categories and categories used in ONIX.

While each of the proposed RDA categories has been mapped to its corresponding RDA/ONIX Base Content Category or Base Carrier Category, certain of the categories proposed for [Type-of-eCarrier type and Content type](#) represent Qualified Categories (i.e., categories constructed by defining an RDA sub-value of a primary value specified in the RDA/ONIX Framework and using that sub-value to qualify an RDA/ONIX Base Category, [or categories constructed by using values of attributes for which there are no primary values specified in the Framework to qualify an RDA/ONIX Base Category](#)).

The sub-values that are being proposed for purposes of constructing RDA Qualified Categories for [type-of-carrier-Carrier type](#) are of two kinds:

1. *Sub-values of RDA/ONIX primary values for Storage Medium Format.* For example, a value

for *card* (a small sheet of opaque material) is proposed as an RDA sub-value of the RDA/ONIX primary value *sheet* (a flat piece of thin material—paper, plastic, etc.—usually rectangular in shape). The sub-value for *card* is used in combination with a number of RDA/ONIX Base Categories to differentiate carriers in a card format from those in a more generic sheet format.

2. *Sub-values of RDA/ONIX primary values for Intermediation Tool.* For example, values for *aperture card reader*, *microfiche reader*, *microopaque reader*, and *microfilm reader* (devices designed for use with aperture cards, microfiches, microopaques, and microfilm, respectively) are proposed as RDA sub-values of the RDA/ONIX primary value *microform reader* (a device that magnifies microforms for reading with the unaided eye). Those sub-values are used in combination with a number of RDA/ONIX Base Categories to differentiate microfiche cassettes from microfilm cassettes, etc. A similar set of RDA sub-values has been proposed as sub-values of the RDA/ONIX primary value *projector* to differentiate slides from overhead transparencies, etc.

The sub-values that are being proposed for purposes of constructing RDA Qualified Categories for Content type are as follows

1. *Sub-value of RDA/ONIX primary value for Character.* The value *movement* (content expressed in movement of the human body) is proposed as an RDA sub-value for the RDA/ONIX primary value *other* for the *Character* attribute. The sub-value for *movement* is used in combination with primary values for the *Sensory Mode* attribute to create the Qualified Content Categories *notated movement* and *tactile notated movement*.

2. *Values for Form/Genre.* RDA values for the Base Content Attribute *FormGenre* are proposed as follows:

Cartographic. A value for *cartographic* (content representing the whole or part of the Earth or any celestial body at any scale) is proposed. The value for *cartographic* is used in combination with a number of RDA/ONIX Base Content Categories to differentiate cartographic content from other types of content.

Computer. A value for *computer* (content consisting of digitally encoded data or instructions intended to be processed by a computer) is proposed. The value for *computer* is used in combination with a number of RDA/ONIX Base Content Categories to differentiate content intended for computer processing from other types of content.

In the interests of enhancing the precision of crosswalks between RDA and ONIX, the RDA sub-values proposed for the construction of Qualified Carrier Categories have been flagged as user-defined sub-values to be considered for joint implementation by both RDA and ONIX.

Levels of specificity

The categories proposed for Content category-type and Media category-type are defined at a broad level, roughly paralleling the General Material Designations given in list 1 of AACR2 rule 1.1C1. They are designed to assist the user in selecting resources appropriate to their needs on the basis of very general characteristics of the content and carrier of the resource.

The categories proposed for Type-of-eCarrier type are defined at a more specific level, roughly paralleling the Specific Material Designations given in rule .5B in AACR2 chapters 2 through 12.

The categories proposed for Type-of-eCarrier type do not incorporate the additional level of specificity proposed by the GMD/SMD Working Group. In general, that additional level of specificity tends to incorporate into the “specific carrier” categories attributes of the carrier that are recorded in other RDA elements such as production method (etching, lithograph, woodcut, etc.), medium (acrylic, oil, watercolour, etc.), digital characteristics (ASCII, GIF, HTML, JPEG, etc.), and other characteristics of videorecordings (Betamax, VHS, etc.).

Formatted: Indent: Left: 0.63 cm

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Default, Indent: Left: 1.27 cm, Right: 0 cm, Line spacing: single

Relationship between Type of eCarrier type and Extent

The proposed RDA element for Type of eCarrier type is designed to function independently of the element for Extent. The two elements serve different purposes.

For certain formats, the RDA instructions for recording extent given under 3.4 specify the terms for type of carrier Carrier type listed under 3.3 as terms to be used to designate the type of unit when expressing extent. ~~In those instances, the format listings under 3.4 generally parallel the media categories that are used to subdivide the list of terms for type of carrier under 3.3. The format listings under 3.4, however, will need to be revisited after decisions are made on the categories used to designate media category and type of carrier to ensure that the two sets of listings are aligned.~~

For a number of other formats (books, scores, maps, etc.), the instructions given under 3.4 do not specify terms listed under 3.3 as terms to be used to designate the type of unit when expressing extent. Those instructions reflect established conventions for indicating the extent of resources in those formats. The terms proposed under 3.3 to designate type of carrier will have no direct bearing on those instructions.

~~It is assumed that t~~The instructions on recording extent ~~will~~ include the option ~~that is in the current draft of chapter 3~~ under 3.4.0-43.4.1.5 to use a term in common usage to record the specific format of the carrier instead of a term listed under 3.3.

Terminology

The terms used to designate categories in the drafts of sections 3.2, 3.3, and 4-26.9 have been drawn from several sources—the Working Group's report, the RDA/ONIX Framework, and constituency responses both to the Working Group's report and to drafts of other sections of RDA. Although the terms are designed to reflect common usage, it is recognized that usage varies from one community to another and changes over time. The terms ~~used in the drafts~~ should be treated simply as "labels" to designate the categories.

~~The draft instructions~~ The RDA contains instructions ~~are~~ to record the categories using the terms listed. In Addition RDA makes allowance for using alternative vocabularies, recording categories either by using the terms listed or by recording a corresponding including those consisting of coded values. The instructions do not prescribe how the categories are to be displayed. The intent is to provide agencies using RDA flexibility to adapt displays to the needs and preferences of their user communities. Agencies may choose to be selective in which elements they display, and may display them either as separate elements or in combination. They may also choose to display the categories using different terms than those that are listed under 3.2, 3.3, and 4-26.9. The only requirement is that the elements be recorded so that they map directly to the categories as they are defined.

Comment [A1]: Rewording proposed see "The RDA instructions enable the separation of controlled terms recorded in the Carrier Type element and the display of natural language terms in the element for Extent." comments on the draft.

Table 3.1

term	scope
<i>audio</i>	Media used to store recorded sound, designed for use with a playback device such as a turntable, audiocassette player, CD player, or MP3 player. Includes media used to store digitally encoded as well as analog sound.
<i>computer</i>	Media used to store electronic files, designed for use with a computer. Includes media that are accessed remotely through file servers as well as direct access media such as computer tapes and discs.
<i>microform</i>	Media used to store reduced size images not readable to the human eye, designed for use with a device such as a microfilm or microfiche reader. Includes both transparent and opaque micrographic media.
<i>microscopic</i>	Media used to store minute objects, designed for use with a device such as a microscope to reveal details invisible to the naked eye.
<i>projected</i>	Media used to store moving or still images, designed for use with a projection device such as a motion picture film projector, slide projector, or overhead projector. Includes media designed to project both two-dimensional and three-dimensional images.
<i>stereographic</i>	Media used to store pairs of still images, designed for use with a device such as a stereoscope or stereograph viewer to give the effect of three dimensions.
<i>unmediated</i>	Media used to store content designed to be perceived directly through one or more of the human senses without the aid of an intermediating device. Includes media containing visual and/or tactile content produced using processes such as printing, engraving, lithography, etc., embossing, texturing, etc., or by means of handwriting, drawing, painting, etc. Also includes media used to convey three dimensional forms such as sculptures, models, etc.

Formatted: Default, Left

Formatted: Default

Formatted: Default, Left

Formatted: Default, Left

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

Formatted: Default

video

~~Media used to store moving or still images,
designed for use with a playback device such
as a videocassette player or DVD player.
Includes media used to store digitally encoded
as well as analog images.~~

Formatted: Default

3.2.1.3.3

~~➤ If none of the terms listed in table 3.1 apply to the carrier of the
resource being described, record *other*.~~

Formatted: Default

3.2.1.3.4

~~➤ If the media type or types applicable to the resource being
described cannot be readily ascertained, record *unspecified*.~~

Formatted: Default

Table 6.1

term	scope
<i>cartographic dataset</i>	Cartographic content expressed through a digitally encoded dataset intended to be processed by a computer. — For cartographic data intended to be perceived in the form of an image or three dimensional form, see <i>cartographic image</i> and <i>cartographic three dimensional form</i> .
<i>cartographic image</i>	Cartographic content expressed through line, shape, shading, etc., intended to be perceived visually as a still image or images in two dimensions. Includes maps, views, atlases, remote sensing images, etc.
<i>cartographic moving image</i>	Cartographic content expressed through images intended to be perceived as moving, in two dimensions. — Includes satellite images of the Earth or other celestial bodies in motion.
<i>cartographic tactile image</i>	Cartographic content expressed through line, shape, and/or other forms, intended to be perceived through touch as a still image in two dimensions.
<i>cartographic tactile three dimensional form</i>	Cartographic content expressed through a form or forms intended to be perceived through touch as a three dimensional form or forms.
<i>cartographic three dimensional form</i>	Cartographic content expressed through a form or forms intended to be perceived visually in three dimensions. Includes globes, relief models, etc.
<i>computer dataset</i>	Content expressed through a digitally encoded dataset intended to be processed by a computer. Includes numeric data, environmental data, etc., used by applications software to calculate averages, correlations, etc., or to produce models, etc., but not normally displayed in its raw form. — For data intended to be perceived visually in the form of notation, image, or three dimensional form, see <i>notated movement</i> , <i>notated music</i> , <i>still image</i> , <i>text</i> , <i>three dimensional form</i> , <i>three dimensional moving image</i> , and

Formatted: Default, Left
Formatted: Default, Left
Formatted: Default
Formatted: Default, Left
Formatted: Default
Formatted: Default
Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

Formatted: Default
Formatted: Default, Space After: 0 pt

	<p><i>two-dimensional moving image.</i> For data intended to be perceived in an audible form, see <i>performed music, sounds, and spoken word.</i> For cartographic data see <i>cartographic dataset.</i></p>	
<i>computer program</i>	Content expressed through digitally encoded instructions intended to be processed and performed by a computer. Includes operating systems, applications software, etc.	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>notated movement</i>	Content expressed through a form of notation for movement intended to be perceived visually. Includes all forms of movement notation other than those intended to be perceived through touch (see <i>tactile notated movement</i>).	<p>Formatted: Default</p> <p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>notated music</i>	Content expressed through a form of musical notation intended to be perceived visually. Includes all forms of musical notation other than those intended to be perceived through touch (see <i>tactile music</i>).	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>performed music</i>	Content expressed through music in an audible form. Includes recorded performances of music, computer-generated music, etc.	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>sounds</i>	Content other than language or music, expressed in an audible form. Includes natural sounds, artificially produced sounds, etc.	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>spoken word</i>	Content expressed through language in an audible form. Includes recorded readings, recitations, speeches, interviews, oral histories, etc., computer-generated speech, etc.	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>still image</i>	Content expressed through line, shape, shading, etc., intended to be perceived visually as a still image or images in two dimensions. Includes drawings, paintings, diagrams, photographic images (stills), etc. For cartographic content intended to be perceived as a two-dimensional image, see <i>cartographic image.</i> For images intended to be perceived through touch, see <i>tactile image</i>	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>tactile image</i>	Content expressed through line, shape, and/or other forms, intended to be perceived through touch as a still image in two dimensions.	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>
<i>tactile notated movement</i>	Content expressed through a form of notation for movement intended to be perceived	<p>Formatted: Default</p> <p>Formatted: Default, Space After: 0 pt</p>

<i>tactile-notated music</i>	through touch. Includes braille text and other tactile forms of language notation. Content expressed through a form of musical notation intended to be perceived through touch. Includes braille music and other tactile forms of musical notation.	Formatted: Default Formatted: Default, Space After: 0 pt
<i>tactile text</i>	Content expressed through a form of notation for language intended to be perceived through touch. Includes braille text and other tactile forms of language notation.	Formatted: Default Formatted: Default, Space After: 0 pt
<i>tactile-three-dimensional form text</i>	Content expressed through a form or forms intended to be perceived through touch as a three-dimensional form or forms. Content expressed through a form of notation for language intended to be perceived visually. Includes all forms of language notation other than those intended to be perceived through touch (see <i>tactile text</i>).	Formatted: Default Formatted: Default, Space After: 0 pt Formatted: Default Formatted: Default, Space After: 0 pt
<i>three-dimensional form</i>	Content expressed through a form or forms intended to be perceived visually in three dimensions. Includes sculptures, models, naturally occurring objects and specimens, holograms, etc. For cartographic content intended to be perceived as a three-dimensional form, see <i>cartographic-three-dimensional form</i>. For three-dimensional forms intended to be perceived through touch, see <i>tactile-three-dimensional form</i>.	Formatted: Default Formatted: Default, Space After: 0 pt
<i>three-dimensional moving image</i>	Content expressed through images intended to be perceived as moving, in three dimensions. Includes 3-D motion pictures (using live action and/or animation), etc. Three-dimensional moving images may or may not be accompanied by sound.	Formatted: Default Formatted: Default, Space After: 0 pt
<i>two-dimensional moving image</i>	Content expressed through images intended to be perceived as moving, in two dimensions. Includes motion pictures (using live action and/or animation), film and video recordings of performances, events, etc., other than those intended to be perceived in three dimensions (see <i>three-dimensional moving image</i>). Moving images may or may not be accompanied by sound. For cartographic content intended to be perceived as a two-dimensional moving image, see	Formatted: Default Formatted: Default, Space After: 0 pt

cartographic moving image.

6.9.1.3.3

➤ ~~If none of the terms listed above apply to the content of the resource being described, record *other*.~~

Formatted: Default

6.9.1.3.4

➤ ~~If the content type applicable to the resource being described cannot be readily ascertained, record *unspecified*.~~

Formatted: Default

Formatted: Left, Indent: Left: 0 cm, First line: 0 cm, Right: 0 cm, Line spacing: single

GLOSSARY

Aperture card. A card with one or more rectangular openings or apertures holding frames of microfilm.—

Audio. A category of media used to store recorded sound, designed for use with a playback device such as a turntable, audiocassette player, CD player, or MP3 player.—

Audio cartridge. A cartridge containing an audio tape.—

Audio cassette. A cassette containing an audio tape.—

Audio cylinder. A roller-shaped object on which sound waves are incised or indented in a continuous circular groove.—

Audio disc. A disc on which sound waves, recorded as modulations or pulses, are incised or indented in a continuous spiral groove.—

Audio film reel. An open reel holding a length of film on which the sound intended to accompany moving images is recorded.—

Audio roll. A roll of paper on which musical notes are represented by perforations, designed to mechanically reproduce the music when used in a player piano, player organ, etc.—

Audio tape. A length of magnetic tape on which are recorded electrical signals that can be converted to sound using audio playback equipment.—

Audio tape reel. An open reel holding a length of audio tape to be used with reel-to-reel audio equipment.—

Binding. An outer cover affixed to a gathering of one or more sheets.—

Book. One or more sheets contained in a binding.—

Card. A small sheet of opaque material.—

Cartographic. A category of content representing the whole or part of the Earth or any celestial body at any scale.—

Cartridge. 1. A casing fitted with a single reel holding a length of tape or film which has its ends joined together in a continuous loop. 2. A casing fitted with a single reel or hub holding a length of microfilm, the end of which is left free for threading into a microfilm reader. 3. A casing holding one or more computer discs or chips.—

Cassette. A casing fitted with two reels holding a length of tape or film, the ends of which are each attached to a separate reel.—

Computer card. A card containing digitally encoded data designed for use with a computer.—

Computer chip cartridge. A cartridge containing a miniaturized electronic circuit on a small wafer of semiconductor silicon.—

Computer dataset. A category of content expressed through a digitally encoded dataset(s), intended to be processed by a computer.—

Computer disc. A disc containing digitally encoded data, magnetically or optically recorded, designed for use with a computer.—

Computer disc cartridge. A cartridge containing one or more computer discs.—

Computer program. A category of content expressed through digitally encoded instructions intended to be processed and performed by a computer.—

Computer tape. A length of magnetic tape on which are recorded digitally encoded data designed to be processed by a computer.—

Computer tape cartridge. A cartridge containing a computer tape.—

Computer tape cassette. A cassette containing a computer tape.—

Computer tape reel. An open reel holding a length of computer tape to be used with a computer tape drive.—

Digital. A category of media used to store electronic files, designed for use with a computer.—

Disc. A flat, circular piece of plastic, metal, etc.—

Film cartridge. A cartridge containing a length of motion picture film.—

Film cassette. A cassette containing a length of motion picture film.—

Film reel. An open reel holding a length of motion picture film to be used with a motion picture film projector.—

Filmstrip. A short strip of film.—

Filmstrip. A roll of film containing a succession of images intended for projection one at a time, with or without recorded sound.—

Formatted: Default, Left, Space Before: 0 pt

Formatted: Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Default, Left, Space Before: 0 pt

Formatted: Default, Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Default, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Default, Left, Space Before: 0 pt

Formatted: Default, Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Default, Left, Space Before: 0 pt

Formatted: Default, Left, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

~~**Filmstrip cartridge.** A cartridge containing a filmstrip.~~
~~**Image.** A category of content expressed through line, shape, shading, etc., intended to be perceived visually as a still image(s) in two dimensions.~~
~~**Microfiche.** A sheet of film bearing a number of microimages in a two-dimensional array.~~
~~**Microfiche cassette.** A cassette containing a length of uncut microfiches.~~
~~**Microfilm.** A length of film bearing a number of microimages in linear array.~~
~~**Microfilm cartridge.** A cartridge containing a length of microfilm.~~
~~**Microfilm cassette.** A cassette containing a length of microfilm.~~
~~**Microfilm reel.** An open reel holding a length of microfilm to be threaded into a microfilm reader.~~
~~**Microfilm slip.** A short strip of microfilm cut from a roll.~~
~~**Microopaque.** A sheet of opaque material bearing a number of microimages in a two-dimensional array.~~
~~**Microform.** A category of media used to store reduced-size images, designed for use with a device such as a microfilm or microfiche reader.~~

~~**Microscopic.** A category of media used to store minute objects, designed for use with a device such as a microscope to reveal details invisible to the naked eye.~~
~~**Moving image.** A category of content expressed through images intended to be perceived as moving, in two dimensions.~~
~~**Music notation.** A category of content expressed through a notational system for music intended to be perceived visually.~~
~~**Online.** A digital resource accessed by means of hardware and software connections to a communications network.~~
~~**Overhead transparency.** A sheet of transparent material bearing an image designed for use with an overhead projector.~~
~~**Performed music.** A category of content expressed through music in an audible form.~~
~~**Projection.** A category of media used to store moving or still images, designed for use with a projection device such as a motion picture film projector, slide projector, or overhead projector.~~
~~**Reel.** A flanged spool designed to hold a length of tape or film.~~
~~**Roll.** A wound length of material (paper, film, tape, etc.).~~
~~**Sheet.** A flat piece of thin material (paper, plastic, etc.), usually rectangular in shape.~~
~~**Slide.** A small sheet of transparent material bearing an image designed for use with a slide projector or viewer.~~
~~**Spoken word.** A category of content expressed through language in an audible form.~~
~~**Stereograph card.** A card bearing stereographic images.~~
~~**Stereograph reel.** A disc with openings around the perimeter holding pairs of still images designed for use with a stereograph viewer.~~
~~**Stereographic.** A category of media used to store pairs of still images, designed for use with a device such as a stereoscope or stereograph viewer to give the effect of three dimensions.~~
~~**Tactile image.** A category of content expressed through line, shape, and/or other forms intended to be perceived through touch as a still image(s) in two dimensions.~~
~~**Tactile music.** A category of content expressed through a notational system for music intended to be perceived through touch.~~
~~**Tactile text.** A category of content expressed through a notational system for language intended to be perceived through touch.~~
~~**Text.** A category of content expressed through a notational system for language intended to be perceived visually.~~
~~**Three-dimensional form.** A category of content expressed through a form or forms intended to be perceived, either visually and/or through touch, from more than one side.~~
~~**Three-dimensional moving image.** A category of content expressed through images intended to be perceived as moving, in three dimensions.~~
~~**Unmediated.** A category of media used to store text, music notation, images, forms, etc., designed to be perceived directly through one or more of the human senses without the aid of an intermediating device.~~
~~**Video.** A category of media used to store moving or still images, designed for use with a playback device such as a videocassette player or DVD player.~~
~~**Video cartridge.** A cartridge containing a video tape.~~
~~**Video cassette.** A cassette containing a video tape.~~

Formatted: Default, Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

Formatted: Default, Space Before: 0 pt

~~**Video disc.** A disc on which video signals, with or without sound, are recorded.~~

~~**Video tape.** A length of magnetic tape on which are recorded electrical signals that can be converted to images using video playback equipment.~~

~~**Video tape reel.** An open reel holding a length of video tape for use with reel-to-reel video equipment.~~

Formatted: Indent: Left: 0 cm, First line: 0 cm, Space Before: 0 pt

RDA ~~Type of Carrier~~ Type

RDA Type of Carrier <u>Type</u> label	RDA/ONIX BaseCarrierCategory																	
	StorageMediumFormat								HousingFormat						Intermediation			
	1 sheet	2 strip	3 roll	4 disc	5 sphere	6 cylinder	7 chip	8 file server	1 binding	2 flipchart	3 reel	4 cartridge	5 cassette	6 not applicable	1 microform reader	2 microscope	3 projector	4
Audio carriers																		
audio cartridge			■									■						
audio cylinder						■								■				
audio disc				■										■				
audio roll			■											■				
audio cassette audiocassette			■										■					
audio tape reel			■								■							
audio film reel sound-track reel			■								■							
Digital Computer carriers																		
computer card (see note 1)	■													■				
computer chip cartridge							■					■						
computer disc				■										■				
computer disc cartridge				■								■						
computer tape cartridge			■									■						
computer tape cassette			■										■					
computer tape reel			■								■							

RDA ~~Type of Carrier~~ Type

RDA Type of Carrier <u>Type</u> label	RDA/ONIX BaseCarrierCategory																	
	StorageMediumFormat								HousingFormat						Intermediation			
	sheet	strip	roll	disc	sphere	cylinder	chip	file server	binding	flipchart	reel	cartridge	cassette	not applicable	microform reader	microscope	projector	
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	1	2	3	4
Microform carriers																		
aperture card (see Note 2)	■													■	■			
microfiche (see Note 2)	■													■	■			
microfiche cassette (see Note 2)			■										■		■			
microfilm cartridge			■									■			■			
microfilm cassette (see Note 2)			■									■			■			
microfilm reel			■								■				■			
<u>microfilm roll (see Note 2)</u>			■											■	■			
microfilm slip (see Note 2)		■												■	■			
microopaque (see Note 2)	■													■	■			
Microscopic carriers																		
microscope slide	■													■		■		

RDA ~~Type of Carrier~~ Type

RDA Type of Carrier <u>Type</u> label	RDA/ONIX BaseCarrierCategory																	
	StorageMediumFormat								HousingFormat						Intermediation			
	sheet	strip	roll	disc	sphere	cylinder	chip	file server	binding	flipchart	reel	cartridge	cassette	not applicable	microform reader	microscope	projector	
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	1	2	3	
Projected image carriers																		
film cartridge			■								■						■	
film cassette			■									■					■	
film reel			■							■							■	
<u>film roll</u>			■											■			■	
filmslip		■												■			■	
filmstrip			■											■			■	
filmstrip cartridge (see Note 3)			■								■						■	
overhead transparency (see Note 3)	■													■			■	
slide (see Note 3)	■													■			■	
Stereographic carriers																		
stereograph card (see Note 1)	■													■				
stereograph reel <u>disc</u>				■										■				
Unmediated carriers																		
book	■								■									
card (see Note 1)	■													■				
flipchart	■									■								

RDA ~~Type of Carrier~~ Type

RDA Type of Carrier <u>Type</u> label	RDA/ONIX BaseCarrierCategory																	
	StorageMediumFormat								HousingFormat						IntermediationTool			
	sheet	strip	roll	disc	sphere	cylinder	chip	file server	binding	flipchart	reel	cartridge	cassette	not applicable	microform reader	microscope	projector	
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	1	2	3	4
Video carriers																		
video cartridge			■									■						
videocassette			■										■					
video disc videodisc				■										■				
video tape videotape reel			■								■							

Note 1: *Computer card*, *Stereograph card*, and *Card* are qualified categories, constructed by using the RDA-defined value *card* (opaque material) as a sub-value of the RDA/ONIX primary StorageMediumFormat value *sheet*.

Note 2: *Aperture card* is a qualified category, constructed by using the RDA-defined value *aperture card reader* (a microform reader used with aperture cards) as a sub-value of the RDA/ONIX primary IntermediationTool value *microform reader*. *Microfiche* and *Microfilm* are qualified categories, constructed by using the RDA-defined value *microfiche reader* (a microform reader designed for use with microfiche) as a sub-value of the RDA/ONIX primary IntermediationTool value *microform reader*. *Microfilm cassette*, *Microfilm roll*, and *Microfilm* are qualified categories, constructed by using the RDA-defined value *microfilm reader* (a microform reader designed for use with microfilm) as a sub-value of the RDA/ONIX primary IntermediationTool value *microform reader*. *Microopaque* is a qualified category, constructed by using the RDA-defined value *microopaque reader* (a microform reader designed for use with microopaques) as a sub-value of the RDA/ONIX primary IntermediationTool value *microform reader*.

RDA Content Category Type

RDA Content <u>Category Type</u> label	RDA/ONIX BaseContentCategory														
	Character				SensoryMode						Image Dimensionality			Image Movement	
	language	music	image	other	sight	hearing	touch	taste	smell	none	two-dimensional	three-dimensional	not applicable	still	moving
	1	2	3	4	1	2	3	4	5	6	1	2	3	1	2
cartographic dataset (see Note 2)				■						■			■		
cartographic image (see Note 2)			■		■						■			■	
cartographic moving image (see Note 2)			■		■						■				■
cartographic tactile image (see Note 2)			■				■				■			■	
cartographic tactile three-dimensional form (see Note 2)			■				■					■		■	
cartographic three-dimensional form (see Note 2)			■		■							■		■	
computer dataset (see Note 2)				■						■			■		
computer program (see Note 2)				■						■			■		
image			■		■						■			■	
moving image			■		■								■		■
notated movement (see Note 1)				■	■								■		
music notationnotated music		■			■								■		

RDA Content Category Type

RDA Content <u>Category Type</u> label	RDA/ONIX BaseContentCategory														
	Character				SensoryMode						Image Dimensionality			Image Movement	
	language	music	image	other	sight	hearing	touch	taste	smell	none	two-dimensional	three-dimensional	not applicable	still	moving
	1	2	3	4	1	2	3	4	5	6	1	2	3	1	2
tactile image			■			■					■			■	
<u>tactile notated movement</u> (see Note 1)				■		■							■		
tactile <u>notated</u> music		■				■							■		
tactile text	■					■							■		
<u>tactile three-dimensional form</u>			■			■						■		■	
text	■				■								■		
three-dimensional form			■		■							■		■	
three-dimensional moving image			■		■							■			■
<u>two-dimensional moving image</u>			■		■						■				■

Note 1: Notated movement and Tactile notated movement are qualified categories, constructed by using the RDA-defined value movement (Content expressed in movement of the human body) as a sub-value of the RDA/ONIX primary Character value other.

Note 2: Cartographic dataset, Cartographic image, Cartographic moving image, Cartographic tactile image, Cartographic tactile form, and Cartographic three-dimensional form are constructed using the RDA-defined Form/Genre value cartographic (content